

Section 1. Identification**Product identifier****Product Identity**

Crude Tall Oil J-29 (CHE-1060S)

Other means of identification

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against

Feedstock for tall oil refineries.

Restrictions on use:

Not available.

Details of the supplier of the safety data sheet**Company Name**

Chemtrade Logistics Inc. (Canada)
155 Gordon Baker Road Suite 300
Toronto, Ontario M2H 3N5
(416) 496-5856

Chemtrade Logistics Inc. (US)
90 East Halsey Road, Suite 200
Parsippany, NJ 07054
(800) 228- 8558

Emergency**24 hour Emergency Telephone No.**

Chemtrade Emergency Contact: (866) 416-4404 (US and Canada)
CHEMTREC +1-800-424-9300
For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night
For SDS Info: (416) 496-5856
www.chemtradelogistics.com

Customer Service:**Section 2. Hazard(s) identification**

Other Hazards: Product may release Hydrogen Sulfide: a specific assessment of inhalation. risks from the presence of hydrogen sulfide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances.

Classification of the substance or mixture

Skin corrosion/irritation category
2;H315

Causes skin irritation.

Serious eye damage / eye irritation,
category 2;H319

Causes serious eye irritation.

Skin sensitizer category 1;H317

May cause an allergic skin reaction.

Label elements**Warning**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

[Prevention]:

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, and face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the Organisation for Economic Co-operation and Development (OECD) list of Per- and Polyfluoroalkyl Substances (PFASs).

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Tall oil fatty acid CAS Number: 61790-12-3 Synonyms: No available information	30 - 60	Skin sensitizer category 1;H317	No data available
Tall-oil pitch CAS Number: 8016-81-7 Synonyms: No available information	30 - 60	Not Classified	No data available
Rosin CAS Number: 8050-09-7 Synonyms: No available information	10 - 30	Skin sensitizer category 1;H317	No data available

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

The specific chemical identity and/or exact percentage of composition are withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

Section 4. First aid measures

Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 30 minutes, holding the eyelids apart and seek medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Drench affected area with water for at least 30 minutes. Obtain medical attention if irritation develops or persists.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview	Contact with eyes causes serious eye irritation. Contact with the skin may cause an allergic reaction. Inhalation may cause allergy, breathing difficulties, or asthma symptoms. Acute Health Effects: May cause sensitization by inhalation and by skin contact. Causes serious eye irritation. EYE: Contact causes serious eye irritation. May cause redness, pain, swelling, and
-----------------	---

blurred vision (Immediate). No delayed effects from eye contact are expected. No chronic effects from eye contact are known.

SKIN: Contact with skin may cause an allergic skin reaction. (Immediate). Contact with skin may cause increased skin sensitization to the product. Chronic effects unknown.

INHALATION: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation may cause increased sensitization to the product. Chronic effects unknown.

INGESTION: Ingestion is likely to be harmful or have adverse effects. Chronic effects from ingestion unknown.

Indication of Any Immediate Medical Attention and Special Treatment Needed: If exposed or concerned, get medical advice and attention.

See section 2 for further details.

Eyes	Causes serious eye irritation.
Skin	May cause an allergic skin reaction. Causes skin irritation.
Chronic effects	Not available, none known.

Section 5. Fire-fighting measures

Extinguishing media

Suitable Extinguishing Media: Alcohol foam, carbon dioxide, dry chemical. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media: Do not use water jet, or heavy water stream. Use of heavy stream of water may spread fire.

Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon oxides (CO, CO₂). Toxic gases.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean up immediately after fire. No smoking.

Fire Hazard: Not considered flammable but may burn at high temperatures. **Explosion Hazard:** Product is not explosive.

Firefighting Instructions: Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. **Exercise caution when fighting any chemical fire.**

Hazardous reactions will not occur under normal conditions. Under heated conditions or on contact with acids will produce toxic gas sulfur dioxide. May release poisonous hydrogen sulfide.

Hazardous Decomposition: Carbon Oxides. Toxic gases.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

ERG Guide No. ----

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General Measures: Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. See Section 8.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Prevent entry to sewers and public waters. Avoid release to environment.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Methods and material for containment and cleaning up

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Contain, dilute cautiously with water, and neutralize with soda ash or lime.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours. Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details). Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated place. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Product may release Hydrogen Sulphide: a specific assessment of inhalation risks from the presence of hydrogen sulphide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances.

Incompatible materials: Strong oxidizers and strong acids

See section 2 for further details. - [Storage]:

Specific end use(s)

Feedstock for tall oil refineries.

Restrictions on use:

Not available.

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
8016-81-7	Tall-oil pitch	ACGIH	No Established Limit
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit

8050-09-7	Rosin	Saskatchewan	No Established Limit
		Yukon	No Established Limit
		ACGIH	0.001 mg/m ³ (I) Inhalable
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No exposure limit. exposure by all routes should be kept low as possible
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	exposure by all routes should be carefully controlled to levels as low as possible, listed unde
		Prince Edward Island	No Established Limit
		Quebec	0.1 mg/m ³ TWA EV (as Formaldehyde, listed under Rosin core solder pyrolysis products)
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
61790-12-3	Tall oil fatty acid	ACGIH	No Established Limit
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

Exposure controls
Respiratory

Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when concentrations exceed permissible exposure limits.

Eyes

Chemical safety goggles. A faceshield should also be used if a higher splash potential exists.

Skin	<p>Wear chemically resistant protective gloves. Avoid skin contact. Wear protective gloves. Wear suitable protective clothing.</p> <p>Materials for Protective Clothing: Chemically resistant materials and fabrics.</p>
Engineering Controls	<p>Exposure Controls Appropriate Engineering Controls: Emergency eyewash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Appropriate Engineering Controls: Gas detectors should be used when hazardous gases/vapors may be released. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Site-specific risk assessments should be conducted to determine the appropriate exposure control measures. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below the recommended exposure limits.</p>
Other Work Practices	<p>Put on appropriate personal protective equipment. Chemically compatible gloves, protective clothing, and chemical resistant safety goggles. Where higher splash potential exists a face shield should also be used. Insufficient ventilation: wear respiratory protection.</p> <p>When line breaking and where there is higher exposure potential, additional protective clothing may be required. A site-specific PPE hazard assessment is recommended and should be reviewed for any additional requirements that may be needed for specific tasks.</p> <p>Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.</p> <p>Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).</p> <p>Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.</p>

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State	liquid
Color	Viscous brown
Odor	Odorless
Odor threshold	No available information
Melting point / freezing point	No available information

Initial boiling point and boiling range	121.1 °C (250°F)
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information Upper Explosive Limit: No available information
Flash Point	> 130.0 °C (266°F) (ASTM D93)
Auto-ignition temperature	No available information
Decomposition temperature	No available information
pH	2
Viscosity (cSt)	Viscosity 60°C, mm ² /s = 163.6 (ASTM D445) Viscosity 100°C, mm ² /s = 24.84 (ASTM D445) Note: 1 mm ² /s = equals 1 cSt at 40°C (104°F).
Solubility in Water	Water: Insoluble in Water (Not Volatile)
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapour pressure (Pa)	No available information
Relative Density	No available information
Vapour Density	No available information
Evaporation rate (Ether = 1)	No available information
Specific Gravity	0.95 – 1.0
Other information	
No other relevant information.	

Section 10. Stability and reactivity

Reactivity

Hazardous reactions will not occur under normal conditions. Under heated conditions or on contact with acids will produce the toxic gas sulfur dioxide. May release poisonous hydrogen sulfide.

Chemical stability

Stable at standard temperature and pressure.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

Sparks, heat, open flame and other sources of ignition. Extremely high or low temperatures. Incompatible materials.

Incompatible materials

Strong oxidizers and strong acids

Hazardous decomposition products

Carbon oxides (CO, CO₂). Toxic gases.

Section 11. Toxicological information
Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Product Acute Toxicity Estimates	6,667	6,667	NA	NA	NA

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Tall oil fatty acid - (61790-12-3)	3,200.00, Rat - Category: 5	No data available.	No data available.	No data available.	No data available.
Tall-oil pitch - (8016-81-7)	2,000.00, Rat - Category: 4	2,000.00, Rat - Category: 4	No data available.	No data available.	No data available.
Rosin - (8050-09-7)	>2,000.00, Rat - Category: 5	>2,000.00, Rat - Category: 5	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
8016-81-7	Tall-oil pitch	IARC	No
		ACGIH	No Established Limit
8050-09-7	Rosin	IARC	No
		ACGIH	No Established Limit
61790-12-3	Tall oil fatty acid	IARC	No
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable

STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

No available information

Symptoms and effects, both acute and delayed:

Contact with eyes causes serious eye irritation. Contact with the skin may cause an allergic reaction. Inhalation may cause allergy, breathing difficulties, or asthma symptoms.

Acute Health Effects: May cause sensitization by inhalation and by skin contact. Causes serious eye irritation.

EYE: Contact causes serious eye irritation. May cause redness, pain, swelling, and blurred vision (Immediate). No delayed effects from eye contact are expected. No chronic effects from eye contact are known.

SKIN: Contact with skin may cause an allergic skin reaction. (Immediate). Contact with skin may cause increased skin sensitization to the product. Chronic effects unknown.

INHALATION: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation may cause increased sensitization to the product. Chronic effects unknown.

INGESTION: Ingestion is likely to be harmful or have adverse effects. Chronic effects from ingestion unknown.

Indication of Any Immediate Medical Attention and Special Treatment Needed: If exposed or concerned, get medical advice and attention.

Eyes Causes serious eye irritation.

Skin May cause an allergic skin reaction. Causes skin irritation.

Chronic effects Not available, none known.

Section 12. Ecological information
Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Tall oil fatty acid - (61790-12-3)	1,000.00, Fish (Piscis)	1,000.00, Daphnia magna	1,000.00, Selenastrum capricornutum
Tall-oil pitch - (8016-81-7)	No data available.	No data available.	No data available.
Rosin - (8050-09-7)	1.70, Pimephales promelas	10.00, Daphnia magna	16.60, Pseudokirchneriella subcapitata

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations
Waste treatment methods

Dispose of waste material in accordance with all local, regional, federal, provincial, state, territorial and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

DOT (Domestic Surface Transportation)

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

TDG (Domestic Surface Transportation)

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable

Sub Class	Not Applicable
Packing group	Not Applicable

IMO / IMDG (Ocean Transportation)

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

ICAO/IATA

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Applicable
Sub Class	Not Applicable
Packing group	Not Applicable

Environmental hazards

IMDG Marine Pollutant: No;

Special precautions for user

No available information

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

NFPA Ranking

Health (blue) :2

Fire (red) :0

Reactivity (yellow) :0

Special (white) :ACID


Toxic Substance Control Act (TSCA)

Rosin (UVCB)

Tall oil fatty acid (UVCB)

Tall-oil pitch (Present)

CERCLA Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Canadian Domestic Substance List (DSL):

Rosin

Tall oil fatty acid

Tall-oil pitch

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Tall oil fatty acid (61790-12-3)	Yes	Yes	Yes	Yes	No	No	No	Yes
Tall-oil pitch (8016-81-7)	Yes	Yes	Yes	Yes	No	No	No	No
Rosin (8050-09-7)	Yes	Yes	Yes	Yes	No	No	No	Yes

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCS	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Tall oil fatty acid (61790-12-3)	Yes	Yes	No	No	No	No	Yes	Yes
Tall-oil pitch (8016-81-7)	Yes	Yes	No	No	No	No	Yes	Yes
Rosin (8050-09-7)	Yes	Yes	Yes	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 02/02/2025

Revision Number 3

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H317 May cause an allergic skin reaction.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document