

**Section 1. Identification****Product identifier****Product Identity**

Sodium Nitrite, Granular Super Free-Flowing Food Grade (CHE-2028S)

Other means of identification

Sodium Nitrite Granular Super Free Flowing Technical Grade, Sodium Nitrite, Super Free Flowing with Anti caking Agent FCC

Relevant identified uses of the substance or mixture and uses advised against

Curing salt formulations.

Restrictions on use:

Not available

Details of the supplier of the safety data sheet**Company Name**

Chemtrade Logistics Inc. (Canada)
155 Gordon Baker Road Suite 300
Toronto, Ontario M2H 3N5
(416) 496-5856

Chemtrade Logistics Inc. (US)
90 East Halsey Road, Suite 200
Parsippany, NJ 07054
(800) 228- 8558

Emergency**24 hour Emergency Telephone No.**

Chemtrade Emergency Contact: (866) 416-4404 (US and Canada)

CHEMTREC +1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

Customer Service:

For SDS Info: (416) 496-5856

www.chemtradelogistics.com

Section 2. Hazard(s) identification

Ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by navy lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. If ingested, nitrates may be reduced to nitrites by bacteria in the digestive tract. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate,



hypotension, fainting and, possibly shock. Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Classification of the substance or mixture

Oxidizing solid, category 3;H272 May intensify fire; oxidizer.

Acute toxicity(oral), category 3;H301 Toxic if swallowed.

Serious eye damage / eye irritation, category 2;H319 Causes serious eye irritation.

Aquatic toxicity (acute), category 1;H400 Very toxic to aquatic life.

Label elements**Danger**

H272 May intensify fire; oxidizer.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

[Prevention]:

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P220 Keep away from clothing and other combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

[Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P337+313 If eye irritation persists: Get medical advice or attention.



P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

P391 Collect spillage.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium nitrite CAS Number: 7632-00-0 Synonyms: Natri nitrit, Nitrous acid, sodium salt	80 - 100	Oxidizing solid, category 3;H272 Acute toxicity(oral), category 3;H301 Aquatic toxicity (acute), category 1;H400	No data available
Sodium carbonate CAS Number: 497-19-8 Synonyms: No available information	0.5 - 1.5	Serious eye damage / eye irritation, category 2;H319	No data available
Nitric acid sodium salt CAS Number: 7631-99-4 Synonyms: Sodium nitrate	0.5 - 1.5	Serious eye damage / eye irritation, category 2;H319 Oxidizing solid, category 3;H272	No data available
Silica gel, precipitated CAS Number: 112926-00-8 Synonyms: Silica, amorphous, precipitated and gel	0.5 - 1.5	Not Classified	No data available

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

The specific chemical identity and/or exact percentage of composition are withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

Section 4. First aid measures**Description of first aid measures****General**

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.



Eyes	Irrigate copiously with clean water for at least 30 minutes, holding the eyelids apart and seek medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Drench affected area with water for at least 30 minutes. Obtain medical attention if irritation develops or persists.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed**Overview**

Toxic if swallowed. Causes serious eye irritation.

Acute Health Effects : the substance is irritating to the eyes, skin and respiratory tract. Toxic if swallowed.

INHALATION: Prolonged exposure may cause irritation. Respirable dust may be absorbed through the bloodstream and have adverse effects. (IMMEDIATE).

SKIN CONTACT: Exposure may cause skin irritation. (IMMEDIATE).

EYE CONTACT: Causes serious eye irritation. (IMMEDIATE) Contact causes severe irritation with redness and swelling of the conjunctiva.

INGESTION: Toxic if swallowed. (IMMEDIATE). This material is toxic in small amounts orally, and can cause adverse health effects or death. Ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by navy lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. If ingested, nitrates may be reduced to nitrites by bacteria in the digestive tract. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate, hypotension, fainting and, possibly shock.

Indication of Any Immediate Medical Attention and Special Treatment Needed: If exposed or concerned, get medical advice and attention.
See section 2 for further details.

Eyes	Causes serious eye irritation.
Ingestion	Toxic if swallowed.
Chronic effects	None expected under normal conditions of use.

Section 5. Fire-fighting measures**Extinguishing media**

Recommended extinguishing media: Water. Use water spray or fog.

Unsuitable extinguishing media: Do not use carbon dioxide. Do not use ABC dry chemicals. Do not use a strong water jet. Using a strong water jet may spread the fire.

Special hazards arising from the substance or mixture



Hazardous decomposition: Thermal decomposition: >320 °C (>608 °F): nitrogen monoxide, nitrogen dioxide and disodium oxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep away from clothing and other combustible materials.

Take any precaution to avoid mixing with combustibles.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean up immediately after fire. No smoking.

Fire Hazard: May cause fire or explosion; strong oxidizer. Not combustible but enhances combustion of other substances. **Oxidizer:** increases the burning rate of combustible materials. A strong oxidizing agent. In contact with organic matter will ignite by friction.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May explode on heating above 530° C (986° F)

Firefighting Instructions: Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. **In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Exercise caution when fighting any chemical fire.**

Hazardous Combustion Products: Nitrogen monoxide, nitrogen dioxide and disodium oxide.

Other Information: Do not allow run-off from firefighting to enter drains or water courses.

ERG Guide No. 140

Section 6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

General Measures: Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. See Section 8.

Avoid breathing dust. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources.

No smoking. Keep away from combustible material. Avoid all contact with skin, eyes, or clothing.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Prevent entry to sewers and public waters. Avoid release to environment.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

**Methods and material for containment and cleaning up**

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Do not take up in combustible material such as: saw dust or cellulosic material.

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Use only non-sparking tools.

Equip cleanup crew with proper protection.

Section 7. Handling and storage**Precautions for safe handling**

Handle containers carefully to prevent damage and spillage.

Store locked up.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

Conditions for safe storage, including any incompatibilities

Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from extremely high or low temperatures, incompatible materials, food and drink. Keep in fireproof place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Incompatible materials: Reducing agents, oxidizable substances, ammonium salts, amines, amine compounds, acids, strong bases, combustible materials, powdered metals.

Additional Hazards When Processed: May cause fire or explosion; strong oxidizer.

See section 2 for further details. - [Storage]:

Specific end use(s)

Curing salt formulations.

**Restrictions on use:**

Not available

Section 8. Exposure controls / personal protection**Control parameters****Exposure Limits**

CAS No.	Ingredient	Source	Value
497-19-8	Sodium carbonate	ACGIH	No Established Limit
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
7631-99-4	Nitric acid sodium salt	ACGIH	No Established Limit
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
7632-00-0	Sodium nitrite	ACGIH	No Established Limit
		OSHA	No Established Limit



		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
112926-00-8	Silica gel, precipitated	ACGIH	TWA: 4mg/m ³ (total) 1.5 mg/m ³ (Respirable)
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	4 mg/m ³ TWA (total); 1.5 mg/m ³ TWA (respirable)
		Manitoba	No Established Limit
		New Brunswick	10 mg/m ³ TWA (listed under Silica - amorphous, precipitated silica and silica gel)
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	10 mg/m ³ TWA (listed under Silica amorphous) 20 mg/m ³ STEL (listed under Silica amorphous)
		Nunavut	10 mg/m ³ TWA (listed under Silica amorphous) 20 mg/m ³ STEL (listed under Silica amorphous)
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	6 mg/m ³ TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)
		Saskatchewan	10 mg/m ³ TWA (listed under Silica amorphous) 20 mg/m ³ STEL (listed under Silica amorphous)
		Yukon	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Exposure controls

Respiratory

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Eyes

Chemical safety goggles



Skin	Put on appropriate personal protective equipment. Chemically compatible gloves, protective clothing, and chemical resistant safety goggles. Wear protective gloves. Wear suitable protective clothing. Materials for Protective Clothing: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.
Engineering Controls	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed.
Other Work Practices	Put on appropriate personal protective equipment. Chemically compatible gloves, chemically resistant materials and fabrics (e.g. fire/flame resistant/retardant clothing) and chemical resistant safety goggles. Insufficient ventilation: wear respiratory protection. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours. Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details). Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State	Solid
Color	Pale Yellow/straw colored.
Odor	Odourless
Melting point / freezing point	273 °C (523 °F)
Initial boiling point and boiling range	No available information
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information Upper Explosive Limit: No available information
Flash Point	No available information
Auto-ignition temperature	No available information
Decomposition temperature	No available information
pH	No available information
Viscosity (cSt)	No available information



Solubility in Water	No available information
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapour pressure (Pa)	No available information
Relative Density	No available information
Vapour Density	No available information
Particle Characteristics	Through 40 mesh screen, % 75 Through 50 mesh screen, % 34 Through 70 mesh screen, % 15 Through 100 mesh screen, % 5.5
Evaporation rate (Ether = 1)	No available information
Specific Gravity	2.168
Bulk Density	76.9 -80.5
Other information	No other relevant information.

Section 10. Stability and reactivity

Reactivity

Oxidizer: increases the burning rate of combustible materials.

Chemical stability

May cause fire or explosion; strong oxidizer.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

Extremely high or low temperatures, ignition sources, combustible materials, incompatible materials.

Incompatible materials

Reducing agents, oxidizable substances, ammonium salts, amines, amine compounds, acids, strong bases, combustible materials, powdered metals.

Hazardous decomposition products

Thermal decomposition: >320 °C (>608 °F): nitrogen monoxide, nitrogen dioxide and disodium oxide.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

**CHEMTRADE****Sodium Nitrite, Granular Super Free-Flowing Food Grade****Revision****Food Date: 02/25/2025**

	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Product Acute Toxicity Estimates	183	NA	NA	NA	NA

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sodium nitrite - (7632-00-0)	180.00, Rat - Category: 3	No data available.	No data available.	5.50, Rat - Category: NA	No data available.
Sodium carbonate - (497-19-8)	2,800.00, Rat - Category: 5	> 2,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Nitric acid sodium salt - (7631-99-4)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.
Silica gel, precipitated - (112926-00-8)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
497-19-8	Sodium carbonate	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
7631-99-4	Nitric acid sodium salt	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
7632-00-0	Sodium nitrite	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
112926-00-8	Silica gel, precipitated	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	3	Toxic if swallowed.
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry: No available information

**Symptoms and effects, both acute and delayed:**

Toxic if swallowed. Causes serious eye irritation.

Acute Health Effects : the substance is irritating to the eyes, skin and respiratory tract. Toxic if swallowed.

INHALATION: Prolonged exposure may cause irritation. Respirable dust may be absorbed through the bloodstream and have adverse effects. (IMMEDIATE).

SKIN CONTACT: Exposure may cause skin irritation. (IMMEDIATE).

EYE CONTACT: Causes serious eye irritation. (IMMEDIATE) Contact causes severe irritation with redness and swelling of the conjunctiva.

INGESTION: Toxic if swallowed. (IMMEDIATE). This material is toxic in small amounts orally, and can cause adverse health effects or death. Ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by navy lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. If ingested, nitrates may be reduced to nitrites by bacteria in the digestive tract. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate, hypotension, fainting and, possibly shock.

Indication of Any Immediate Medical Attention and Special Treatment Needed: If exposed or concerned, get medical advice and attention.

Eyes Causes serious eye irritation.

Ingestion Toxic if swallowed.

Chronic effects None expected under normal conditions of use.

Section 12. Ecological information**Toxicity**

Very toxic to aquatic life.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sodium nitrite - (7632-00-0)	0.11, Oncorhynchus mykiss	15.40, Daphnia magna	159.00, Tetraselmis chuii
Sodium carbonate - (497-19-8)	300.00, Lepomis macrochirus	227.00, Ceriodaphnia sp.	100.00, Algae
Nitric acid sodium salt - (7631-99-4)	101.00, Oncorhynchus mykiss	3,581.00, Daphnia magna	No data available.
Silica gel, precipitated - (112926-00-8)	10,000.00, Fish	10,000.00, Daphnia magna	10,000.00, Algae

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment



This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations**Waste treatment methods**

Dispose of waste material in accordance with all local, regional, federal, provincial, state, territorial and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

DOT (Domestic Surface Transportation)

UN number	UN1500
UN proper shipping name	UN1500,Sodium nitrite,5.1 (6.1) ,III
Transport hazard class(es)	5.1
Sub Class	6.1
Packing group	III

TDG (Domestic Surface Transportation)

UN number	UN1500
UN proper shipping name	Sodium nitrite
Transport hazard class(es)	5.1
Sub Class	6.1
Packing group	III

IMO / IMDG (Ocean Transportation)



UN number	UN1500
UN proper shipping name	Sodium nitrite
Transport hazard class(es)	5.1
Sub Class	6.1
Packing group	III

ICAO/IATA	
UN number	UN1500
UN proper shipping name	Sodium nitrite
Transport hazard class(es)	5.1
Sub Class	6.1
Packing group	III

Environmental hazards

IMDG Marine Pollutant: Yes; (Sodium nitrite)

Special precautions for user

No available information

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

NFPA Ranking

Health (blue) :2

Fire (red) :0

Reactivity (yellow) :1

Special (white) :OX

**Toxic Substance Control Act (TSCA)**

Nitric acid sodium salt

Silica gel, precipitated

Sodium carbonate (Present)

Sodium nitrite (S)

Water

EPCRA 311/312 Chemicals and RQs (lbs):

Sodium nitrite (100.00)

**EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Nitric acid sodium salt

Sodium nitrite

Canadian Domestic Substance List (DSL):

Nitric acid sodium salt

Silica gel, precipitated

Sodium carbonate

Sodium nitrite

Water

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Silica gel, precipitated

Sodium nitrite

Pennsylvania RTK Substances (>1%):

Nitric acid sodium salt

Sodium nitrite

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Sodium nitrite (7632-00-0)	Yes	Yes	Yes	Yes	No	No	No	Yes
Sodium carbonate (497-19-8)	Yes	Yes	Yes	Yes	No	No	No	Yes
Nitric acid sodium salt (7631-99-4)	Yes	Yes	Yes	Yes	No	No	No	Yes
Silica gel, precipitated (112926-00-8)	Yes	Yes	Yes	No	No	No	No	Yes

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSC	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Sodium nitrite (7632-00-0)	Yes	Yes	No	Yes	No	No	Yes	Yes
Sodium carbonate (497-19-8)	Yes	Yes	No	No	No	No	Yes	Yes
Nitric acid sodium salt (7631-99-4)	Yes	Yes	No	No	No	No	Yes	Yes
Silica gel, precipitated (112926-00-8)	Yes	Yes	Yes	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 02/25/2025

Revision Number 6

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H272 May intensify fire; oxidizer.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document